

Catalogue No.

 AB0042-200
 AB0042-500

Qty:

 400 µg
 1 mg

Anti-UIS4

Source: Goat

General description: Goat polyclonal antibody to UIS4. UIS4 protein is expressed throughout liver stage development and localizes to the parasite vacuole (parasitophorous vacuole membrane).

Alternative names: N/A

Form: Polyclonal antibody supplied as a 200 or 500 µl (2 mg/ml) aliquot in PBS, 20% glycerol and 0.05% sodium azide. This antibody is epitope-affinity purified from goat antiserum.

Immunogen: Purified recombinant peptide derived from within residues 80 aa to the C-terminus of UIS4 produced in E. coli.

Specificity: Detects UIS4 in Plasmodium berghei

Reactivity: Reacts with Plasmodium proteins

Sample	WB	IHC (F)	IHC (P)	IF	ELISA
Plasmodium	ND	ND	ND	+++	ND

+++ excellent, ++ good, + poor, ND not determined

Usage:

IF: 1:250-1:1,000

Storage: For continuous use, store at 2-8 C for one-two days. For extended storage, store in -20 C freezer. Working dilution samples should be discarded if not used within 12 hours.


Special instructions: The antibody solution should be gently mixed before use..

References:


1. Lahree A, Baptista SJS, Marques S, et al. Cell Rep 2022 May PMID: 35649358
2. Balasubramanian L, Zuzarte-Luís V, Syed T, et al. Front Cell Infect Microbiol 2020 Jan PMID:

32010639

3. Xu W, Zheng H, Lu X, et al. bioRxiv Jan 2021
4. Setua S, Enguita FJ, Chora AF, et al. Commun Biol 2020 Nov PMID: 33214643
5. Mello-Vieira J, Enguita FJ, Koning-Ward TF, et al. Nat Commun 2020 Nov PMID: 33159090
6. Fernandes P, Briquet S, Patarot D, et al. PLoS One. 2020 Oct PMID: 33044964
7. Langlois AC, Manzoni G, Vincensini L, et al. Sci Rep 2020 Aug PMID: 32782257
8. Balasubramanian L, Zuzarte-Luís V, Syed T, et al. Front Cell Infect Microbiol 2020 Jan PMID: 32010639
9. Langlois A, Manzoni G, Vincensini L, et al. bioRxiv 2020
10. Vera IM, Grilo Ruivo MT, Lemos Rocha LF, et al. JCI Insight 2019 Dec PMID: 31852843
11. Arez F, Rebelo S, Fontinha D, et al. ACS Infect Dis 2019 Sep PMID: 31479238
12. Sanz S, Aquilini E, Tweedell RE, et al. Front Cell Infect Microbiol 2019 Jul PMID: 31334132
13. Langlois AC, PhD Thesis, Sorbonne Université, France 2019
14. Langlois AC, Marinach C, Manzoni G, et al. PLoS One 2018 Jul PMID: 29975762
15. Real E, Rodrigues L, Cabal GG, et al. Nat Microbiol 2017 Nov PMID: 29109477
16. Zuzarte-Luís V, Mello-Vieira J, Marreiros IM, et al. Nat Microbiol 2017 Sep PMID: 28947801
17. Santos JM, Egarter S, Zuzarte-Luís V, et al. Elife 2017 May PMID: 28525314
18. Manzoni G, Marinach C, Topçu S, et al. Elife 2017 May PMID: 28506360
19. Silva PA, Guerreiro A, Santos JM. PLoS One 2016 Jan PMID: 26808677
20. Risco-Castillo V, Topcu S, Marinach C, et al. Cell Host & Microbe 2015 PMID: 26607162
21. Thieleke-Matos C, Lopes da Silva M, Cabrita-Santos L, et al. Cellular Microbiology 2015 Sep PMID: 26399761
22. Thieleke-Matos C, Lopes da Silva M, Cabrita-Santos L, et al. Traffic 2014 Oct PMID: 24992508
23. Matos CTSM, PhD Thesis, Universidade NOVA de Lisboa, Portugal 2013
24. Fernandes P, Loubens M, Marinach C, et al. iScience 2023 Jan PMID: 36761022
25. Mitchell G, Torres L, Fishbaugher ME, et al. Malar J 2024 Feb PMID: 38383417
26. McLellan JL, Sausman W, Reers AB, et al. mSphere 2023 Dec PMID: 37909773



UIS4 liver section: 50 μ M liver sections of a B6 mice infected with Plasmodium Berghei ANKA parasites (44 hours post infection), stained with anti-UIS4 (1:500 in red) followed by Alexa anti goat 568 (1:400) and nuclei (blue);



UIS4 liver section: 50 μ M liver sections of a B6 mice infected with Plasmodium Berghei parasites, stained with anti-UIS4 (1:500) followed by Alexa anti-goat 466 (1:400) and nuclei (blue);

For research use only, not for diagnostic use

SICGEN's Proprietary Immunogen Policy

In order to produce high specific antibodies SICGEN has invested a lot of time and effort into selecting immunogen sequences. SICGEN has decided to protect this information by not publishing it on the website. However, these sequences are available on request.